



Safety Data Sheet dated 21/4/2022, version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: BC COMP. B 15

UFI: SM8D-62JK-7S17-CYRE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Uses advised against:

Not suitable for "Do-it-yourself".

1.3. Details of the supplier of the safety data sheet

Boldan Oy, Matkuntie 3, 05200 RAJAMÄKI, FINLAND

Competent person responsible for the safety data sheet:

info@boldan.fi

1.4. Emergency telephone number

n. +39 0521-812188 Fax n. +39 0521-812195

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

 Warning, Acute Tox. 4, Harmful if swallowed.

 Warning, Acute Tox. 4, Harmful in contact with skin.

 Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.

 Danger, Eye Dam. 1, Causes serious eye damage.

 Warning, Skin Sens. 1, May cause an allergic skin reaction.

 Warning, Repr. 2, Suspected of damaging fertility or the unborn child.

 Danger, STOT RE 1, Causes damage to organs through prolonged or repeated exposure.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H302+H312 Harmful if swallowed or in contact with skin.

H314 Causes severe skin burns and eye damage.

Safety Data Sheet

BC COMP. B 15

H317 May cause an allergic skin reaction.
H361 Suspected of damaging fertility or the unborn child.
H372 Causes damage to organs through prolonged or repeated exposure.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/clothing and eye/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/physician.

Special Provisions:

None

Contains

2-piperazin-1-ylethylamine
3,6-diazaoctaneethylenediamin
3-aminomethyl-3,5,5-trimethylcyclohexylamine
2,4,6-tris(dimethylaminomethyl)phenol
Fenolo stirenato: May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
$\geq 20\% - < 40\%$	3,6-diazaoctaneethylenediamin	CAS: 90640-67-8 EC: 292-588-2 REACH No.: 01-21194879 19-13-XXXX	 3.1/4/Dermal Acute Tox. 4 H312  3.2/1 Skin Corr. 1 H314  3.1/4/Oral Acute Tox. 4 H302  3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317  4.1/C3 Aquatic Chronic 3 H412
$\geq 20\% - < 40\%$	2-piperazin-1-ylethylamine	Index number: 612-105-00-4 CAS: 140-31-8 EC: 205-411-0 REACH No.: 01-21194714 86-30-XXXX	 3.1/4/Oral Acute Tox. 4 H302  3.1/3/Dermal Acute Tox. 3 H311  3.2/1B Skin Corr. 1B H314  3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317  3.7/2 Repr. 2 H361

Safety Data Sheet

BC COMP. B 15

			 3.9/1 STOT RE 1 H372  3.3/1 Eye Dam. 1 H318  4.1/C3 Aquatic Chronic 3 H412
>= 10% - < 20%	Phenol styrenated	CAS: 61788-44-1 EC: 262-975-0 REACH No.: 01-21199795 75-18-XXXX	 3.2/2 Skin Irrit. 2 H315  3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317  4.1/C2 Aquatic Chronic 2 H411
>= 10% - < 20%	3-aminomethyl-3,5,5-trimethylcyclohexylamine	Index number: 612-067-00-9 CAS: 2855-13-2 EC: 220-666-8 REACH No.: 01-21195146 87-32-XXXX	 3.1/4/Oral Acute Tox. 4 H302  3.1/4/Dermal Acute Tox. 4 H312  3.2/1 Skin Corr. 1 H314  3.4.2/1 Skin Sens. 1 H317  4.1/C3 Aquatic Chronic 3 H412
>= 5% - < 10%	2,4,6-tris(dimethylaminoethyl)phenol	Index number: 603-069-00-0 CAS: 90-72-2 EC: 202-013-9 REACH No.: 01-21195605 97-27-XXXX	 3.1/4/Oral Acute Tox. 4 H302  3.3/2 Eye Irrit. 2 H319  3.2/2 Skin Irrit. 2 H315

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

- Immediately take off all contaminated clothing.
- OBTAIN IMMEDIATE MEDICAL ATTENTION.
- Remove contaminated clothing immediately and dispose off safely.
- After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

- After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
- Protect uninjured eye.

In case of Ingestion:

- Do NOT induce vomiting.
- Give nothing to eat or drink.

In case of Inhalation:

- Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

CO2 or Dry chemical fire extinguisher.

Extinguishing media which must not be used for safety reasons:

None in particular.

Safety Data Sheet

BC COMP. B 15

- 5.2. Special hazards arising from the substance or mixture
Do not inhale explosion and combustion gases.
Burning produces heavy smoke.
- 5.3. Advice for firefighters
Use suitable breathing apparatus .
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
Wear personal protection equipment.
Remove persons to safety.
See protective measures under point 7 and 8.
- 6.2. Environmental precautions
Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
Retain contaminated washing water and dispose it.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
Wash with plenty of water.
- 6.4. Reference to other sections
See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
Avoid contact with skin and eyes, inhalation of vapours and mists.
Exercise the greatest care when handling or opening the container.
Don't use empty container before they have been cleaned.
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
See also section 8 for recommended protective equipment.
Advice on general occupational hygiene:
Contaminated clothing should be changed before entering eating areas.
Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities
Store in original containers, dry, tightly closed, in a cool and well-ventilated area.
Avoid contact with skin, eyes and clothing.
Keep away from food, drink and feed.
Incompatible materials:
None in particular.
Instructions as regards storage premises:
Adequately ventilated premises.
- 7.3. Specific end use(s)
None in particular

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
No occupational exposure limit available
DNEL Exposure Limit Values
3,6-diazaoctaneethylenediamin - CAS: 90640-67-8
Worker Professional: 5.380 mg/m³ - Consumer: 1.600 mg/kg - Exposure: Human
Inhalation - Frequency: Short Term, systemic effects

Safety Data Sheet

BC COMP. B 15

Worker Professional: 1 mg/m³ - Consumer: 0.29 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 0.028 mg/m³ - Consumer: 0.43 04 - Exposure: Human Dermal - Frequency: Long Term, local effects

Consumer: 0.41 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: bw/giorno

Consumer: 20 mg/kg - Exposure: Human Oral - Frequency: Short Term, systemic effects - Notes: bw/giorno

3-aminomethyl-3,5,5-trimethylcyclohexylamine - CAS: 2855-13-2

Worker Professional: 0.073 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, local effects

Worker Professional: 0.073 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, local effects

Consumer: 0.526 07 - Exposure: Human Oral - Frequency: Long Term, systemic effects

2,4,6-tris(dimethylaminomethyl)phenol - CAS: 90-72-2

Worker Industry: 0.31 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

2-piperazin-1-ylethylamine - CAS: 140-31-8

Target: Fresh Water - Value: 0.058 mg/l

Target: Marine water - Value: 0.0058 mg/l

Target: Freshwater sediments - Value: 215 mg/kg

Target: Marine water sediments - Value: 21.5 mg/kg

Target: 08 - Value: 42.9 mg/kg

3-aminomethyl-3,5,5-trimethylcyclohexylamine - CAS: 2855-13-2

Target: Fresh Water - Value: 0.06 mg/l

Target: Marine water - Value: 0.006 mg/l

Target: Freshwater sediments - Value: 5.784 mg/kg - Notes:: peso a secco

Target: Marine water sediments - Value: 0.578 mg/kg - Notes:: peso a secco

Target: 08 - Value: 1.121 mg/kg - Notes:: peso a secco

2,4,6-tris(dimethylaminomethyl)phenol - CAS: 90-72-2

Target: Fresh Water - Value: 0.084 mg/l

Target: Marine water - Value: 0.0084 mg/l

8.2. Exposure controls

Eye protection:

Wear protective goggles (ref. Standard EN 166).

Protection for skin:

Safety shoes.

Wear work clothes with long sleeves and safety footwear for professional use of category I (REF. Dir. 89/686/EEC and EN 344).

Protection for hands:

Protect your hands with work gloves (ref. Directive 89/686 / EEC and its amendments and EN 374/2003)

Respiratory protection:

Use adequate protective respiratory equipment. (Ref. Dir. 89/686 / EEC, as amended - UNI PROTECTED / 1998 - UNI EN 529/2006)

Thermal Hazards:

None

Environmental exposure controls:

Prevent from entering sewers, basements or any place where its accumulation can be dangerous.

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

SAA1501/2

Page n. 5 of 11

Safety Data Sheet

BC COMP. B 15

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	--	--
Colour:	Blue	--	--
Odour:	amminic	--	--
Melting point/freezing point:	Not Relevant	--	--
Boiling point or initial boiling point and boiling range:	> 200°C	--	--
Flammability:	> 100 ° C	--	--
Lower and upper explosion limit:	Not Relevant	--	--
Flash point:	> 150°C ° C	--	--
Auto-ignition temperature:	Not Relevant	--	--
Decomposition temperature:	Not Relevant	--	--
pH:	12	--	--
Kinematic viscosity:	Not Relevant	--	--
Solubility in water:	Not Relevant	--	--
Solubility in oil:	Not Relevant	--	--
Partition coefficient n-octanol/water (log value):	Not Relevant	--	--
Vapour pressure:	Not Relevant	--	--
Density and/or relative density:	0.98 - 1.02 @ 25°C (g/ml)	--	--
Relative vapour density:	Not Relevant	--	--
Particle characteristics:			
Particle size:	Not Relevant	--	--

9.2. Other information

Properties	Value	Method:	Notes:
Viscosity:	430 - 550 mPas	--	--

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

In normal use and storage, hazardous reactions are not predictable.

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

N.A.

Toxicological information of the main substances found in the product:

Safety Data Sheet

BC COMP. B 15

2-piperazin-1-ylethylamine - CAS: 140-31-8

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rabbit 2.097 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit 866 mg/kg

3-aminomethyl-3,5,5-trimethylcyclohexylamine - CAS: 2855-13-2

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 1030 mg/kg - Notes: Metodo OECD Guideline 401

Test: LC50 - Route: Inhalation - Species: Rat > 5.01 mg/l - Duration: 4h - Notes: Metodo OECD Guideline 403

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Duration: 24h - Notes: Metodo OECD Guideline 402

b) skin corrosion/irritation:

Species: Rabbit

d) respiratory or skin sensitisation:

Species: CAVIE

g) reproductive toxicity:

Test: NOAEL - Species: Rat > 250 mg/kg bw - Notes: Metodo OECD Guideline 414

h) STOT-single exposure:

Test: NOAEL - Species: Rat 60 mg/kg bw - Notes: Metodo OECD Guideline 408

2,4,6-tris(dimethylaminomethyl)phenol - CAS: 90-72-2

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat 2.169 mg/kg

3,6-diazaoctaneethylenediamin - CAS: 90640-67-8

LD50: 2.500 mg/kg (oral rat)

LD50: 805 mg/kg (dermal rabbit)

If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.:

a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

d) respiratory or skin sensitisation;

e) germ cell mutagenicity;

f) carcinogenicity;

g) reproductive toxicity;

h) STOT-single exposure;

i) STOT-repeated exposure;

j) aspiration hazard.

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

3-aminomethyl-3,5,5-trimethylcyclohexylamine - CAS: 2855-13-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 110 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia = 23 mg/l - Duration h: 48

Endpoint: NOEC - Species: Daphnia = 3.0 mg/l

Endpoint: EC50 - Species: Algae = 37 mg/l - Duration h: 72

g) toxicity on microorganisms:

Endpoint: EC10 - Species: BATTERI = 1120 mg/l - Duration h: 18

2,4,6-tris(dimethylaminomethyl)phenol - CAS: 90-72-2

a) Aquatic acute toxicity:

Safety Data Sheet

BC COMP. B 15

Endpoint: LC50 - Species: Fish = 175 mg/l - Duration h: 96
Endpoint: EC50 - Species: INVACQ = 718 mg/l - Duration h: 96
Endpoint: EC50 = 84 mg/l - Duration h: 72
Endpoint: NOEC = 2 mg/l - Duration h: 2

12.2. Persistence and degradability

None

IPE 15/33 Blu

Biodegradability: No data available.

3,6-diazaoctaneethylenediamin - CAS: 90640-67-8

Biodegradability: not biodegradable

2-piperazin-1-ylethylamine - CAS: 140-31-8

Biodegradability: Not easily biodegradable

3-aminomethyl-3,5,5-trimethylcyclohexylamine - CAS: 2855-13-2

Biodegradability: Poorly biodegradable

2,4,6-tris(dimethylaminomethyl)phenol - CAS: 90-72-2

Biodegradability: Not easily biodegradable

12.3. Bioaccumulative potential

IPE 15/33 Blu

Bioaccumulation: Information not available

3,6-diazaoctaneethylenediamin - CAS: 90640-67-8

Bioaccumulation: Shortly bioaccumulative.

2-piperazin-1-ylethylamine - CAS: 140-31-8

Bioaccumulation: Not bioaccumulative

3-aminomethyl-3,5,5-trimethylcyclohexylamine - CAS: 2855-13-2

Bioaccumulation: Shortly bioaccumulative.

2,4,6-tris(dimethylaminomethyl)phenol - CAS: 90-72-2

Bioaccumulation: Information not available

12.4. Mobility in soil

IPE 15/33 Blu

Mobility in soil: No data available

3,6-diazaoctaneethylenediamin - CAS: 90640-67-8

Mobility in soil: No data available

2-piperazin-1-ylethylamine - CAS: 140-31-8

Mobility in soil: Not mobile

3-aminomethyl-3,5,5-trimethylcyclohexylamine - CAS: 2855-13-2

Mobility in soil: low potential

2,4,6-tris(dimethylaminomethyl)phenol - CAS: 90-72-2

Mobility in soil: No data available

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration $\geq 0.1\%$

12.7. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number or ID number

ADR-UN number: 2735

IATA-Un number: 2735

IMDG-Un number: 2735

Safety Data Sheet

BC COMP. B 15

- 14.2. UN proper shipping name
ADR-Shipping Name: POLYAMINES, LIQUID, CORROSIVE, N.O.S. (mixture containing Triethylenetetramine)
IATA-Technical name: POLYAMINES, LIQUID, CORROSIVE, N.O.S. (mixture containing Triethylenetetramine)
IMDG-Technical name: POLYAMINES, LIQUID, CORROSIVE, N.O.S. (mixture containing Triethylenetetramine)
- 14.3. Transport hazard class(es)
ADR-Class: 8
ADR - Hazard identification number: 80
IATA-Class: 8
IATA-Label: 8
IMDG-Class: 8
- 14.4. Packing group
ADR-Packing Group: II
IATA-Packing group: II
IMDG-Packing group: II
- 14.5. Environmental hazards
Marine pollutant: No
IMDG-EMS: F-A,S-B
- 14.6. Special precautions for user
ADR-Transport category (Tunnel restriction code): E
Rail (RID): 2735
IMDG-Technical name: POLYAMINES, LIQUID, CORROSIVE, N.O.S. (mixture containing Triethylenetetramine)
- 14.7. Maritime transport in bulk according to IMO instruments
N.A.

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) n. 2020/878
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)
Regulation (EU) n. 2018/669 (ATP 11 CLP)
Regulation (EU) n. 2018/1480 (ATP 13 CLP)
Regulation (EU) n. 2019/521 (ATP 12 CLP)
Regulation (EU) n. 2020/217 (ATP 14 CLP)
Regulation (EU) n. 2020/1182 (ATP 15 CLP)
Regulation (EU) n. 2021/643 (ATP 16 CLP)
Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:
None
Where applicable, refer to the following regulatory provisions :
Directive 2012/18/EU (Seveso III)

Safety Data Sheet

BC COMP. B 15

Regulation (EC) nr 648/2004 (detergents).
 Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):
 Seveso III category according to Annex 1, part 1
 None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Text of phrases referred to under heading 3:

H312 Harmful in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H302 Harmful if swallowed.
 H317 May cause an allergic skin reaction.
 H412 Harmful to aquatic life with long lasting effects.
 H311 Toxic in contact with skin.
 H361 Suspected of damaging fertility or the unborn child.
 H372 Causes damage to organs through prolonged or repeated exposure.
 H318 Causes serious eye damage.
 H315 Causes skin irritation.
 H411 Toxic to aquatic life with long lasting effects.
 H319 Causes serious eye irritation.

Hazard class and hazard category	Code	Description
Acute Tox. 3	3.1/3/Dermal	Acute toxicity (dermal), Category 3
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1	3.2/1	Skin corrosion, Category 1
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1,1A,1B	3.4.2/1-1A-1B	Skin Sensitisation, Category 1,1A,1B
Repr. 2	3.7/2	Reproductive toxicity, Category 2
STOT RE 1	3.9/1	Specific target organ toxicity - repeated exposure, Category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878.
 Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Acute Tox. 4, H302	Calculation method
Acute Tox. 4, H312	Calculation method
Skin Corr. 1A, H314	Calculation method
Eye Dam. 1, H318	Calculation method

Safety Data Sheet

BC COMP. B 15

Skin Sens. 1, H317	Calculation method
Repr. 2, H361	Calculation method
STOT RE 1, H372	Calculation method
Aquatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date.

It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.